

Stichwortverzeichnis

About Controller.....	1
Home Controller.....	2
\about\create.....	2
\views\about\home.....	2
\views\about\index.....	2
\views\about\mail.....	3
\views\about\welcome.....	3
\views\auth\login.....	3
\views\auth\passwords\email.....	3
\views\auth\passwords\reset.....	3
\views\auth\register.....	4
\views\auth\verify.....	4
\views\layouts\app.....	5
\views\layouts\foot.....	5
\views\layouts\greeting.....	5
\views\layouts\head.....	5
\views\layouts\nav.....	5
\views\layouts\session_message.....	6

Controller

```

About Controller
<?php
namespace MyWeb\Http\Controllers;
use MyWeb\Counter;
use Illuminate\Http\Request;
class AboutController extends Controller {
    public function welcome() {
        $counters = Counter::all();
        $websiteside = config('app.name', 'MyWeb');
        $visitors = 1;
        foreach($counters as $counter){
            if ($counter->websiteside == $websiteside) {
                $visitors = $counter->visitors + 1;
                $counter->visitors = $visitors;
                $counter->update();
            }
        }
        if ($visitors == 1) {
            Counter::create(['websiteside' => $websiteside, 'visitors' => $visitors]);
        }
        return view('about.welcome', compact('visitors'));
    }
    public function index() { return view('about.index'); }
    public function create() { return view('about.create'); }
    public function store(Request $request) {
        $attributes = [
            'name' => $request->get('name'),
            'email' => $request->get('email'),
            'user_msg' => $request->get('user_msg');
        ];
        \Mail::send('about.mail', $attributes,
            function($message) {
                $message->from('web@MyWeb.ch');
                $message->to('web@MyWeb.ch', 'Admin')
            });
    }
}

```

```

        ->subject(config('app.name', 'MyWeb').' - '.__('Message'));
    });
    \Session::flash('flash_message', __('Message mailed'));
    return view('about.create');
}
public function show($id) { }
public function edit($id) { }
public function update(Request $request, $id) { }
public function destroy($id) { }
}

Home Controller
<?php
namespace MyWeb\Http\Controllers;
use Illuminate\Http\Request;
class HomeController extends Controller {
    public function __construct() { $this->middleware('auth'); }
    public function index() { return view('about.home'); }
}

<!-- \resources\views\about\create.blade.php -->
@extends('layouts.app')
@section('content')
<div class="container">
    <div class="row justify-content-center">
        <div class="col-md-8">
            <div class="card-header text-center">
                <b>{{ __('Contact') }}</b>
            </div>
            <div class="card-body">
                @include('layouts.session_message')
                <form method="POST" action="{{ route('about.store') }}">
                    @csrf
                    @include('partials.string',
                        ['label' => __('Name'), 'value' => 'name', 'old' => ''])
                    @include('partials.email',
                        ['label' => __('E-Mail Address'), 'old'=>''])
                    @include('partials.memo',
                        ['label' => __('Message'), 'value' => 'user_msg', 'old' => ''])
                    @include('partials.submit', ['label' => __('Send Message')])
                </form>
            </div>
            <div class="card-footer">
                @include('partials.hint', [
                    'hints' => ['Unvollständige oder unerwünschte Mitteilungen
                    werden ignoriert!']
                ])
            </div>
        </div>
    </div>
</div>
@endsection

<!-- \resources\views\about\home.blade.php -->
@extends('layouts.app')
@section('content')
<div class="container">
    <div class="row justify-content-center">
        <div class="col-md-8">
            <div class="card">
                <div class="card-header text-center"><b>{{ __("Dashboard") }}</b></div>
                <div class="card-body">
                    @if (session('status'))
                        <div class="alert alert-success" role="alert">
                            {{ session('status') }}
                        </div>
                    @endif
                    {{ __("You are logged in!") }}
                </div>
            </div>
        </div>
    </div>
</div>
@endsection

<!-- \resources\views\about\index.blade.php -->
@extends('layouts.app')
@section('content')
<div align="center">

```

```

    <h1>Über MyWeb</h1>
    <p>
        Lorem ipsum dolor sit amet, consetetur sadipscing elitr,
        sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam
    </p>
</div>
@endsection

<!-- \resources\views\about\mail.blade.php -->
@{ $name }<br>@{ $email }<br><b>Mitteilung von @config('app.name',
'FJKarli') }</b><br>
@{ $user_msg }

<!-- \resources\views\about\welcome.blade.php -->
@extends('layouts.app')
@section('content')
<div align='center'>
    <h1><b>@include('layouts.greeting')</b></h1>
    Mai 2019
    <hr>
    Diese Webseite hatte @{$visitors} Besucher
    <hr>
</div>
@endsection

<!-- \resources\views\auth\login.blade.php -->
@extends('layouts.app')
@section('content')
<div class="container">
    <div class="row justify-content-center">
        <div class="col-md-8">
            <div class="card">
                <div class="card-header text-center"><b>@__('Login') }</b></div>
                <div class="card-body">
                    <form method="POST" action="@route('login') ">
                        @csrf
                        @include('partials.email', ['label'=>__('E-Mail Address'), 'old'=>''])
                        @include('partials.pwd')
                        @include('partials.submit_login')
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>
@endsection

<!-- \resources\views\auth\passwords\email.blade.php -->
@extends('layouts.app')
@section('content')
<div class="container">
    <div class="row justify-content-center">
        <div class="col-md-8">
            <div class="card">
                <div class="card-header text-center"><b>@__('Reset Password') }</b></div>
                <div class="card-body">
                    @if (session('status'))
                    <div class="alert alert-success" role="alert">
                        @session('status')
                    </div>
                    @endif
                    <form method="POST" action="@route('password.email') ">
                        @csrf
                        @include('partials.email',
                            ['label' => __('E-Mail Address'), 'old'=>''])
                        @include('partials.submit',
                            ['label' => __('Send Password Reset Link') ])
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>
@endsection

<!-- \resources\views\auth\passwords\reset.blade.php -->
@extends('layouts.app')
@section('content')
<div class="container">

```

```

<div class="row justify-content-center">
  <div class="col-md-8">
    <div class="card">
      <div class="card-header text-center"><b>{{ __('Reset Password') }}</b></div>
      <div class="card-body">
        @if (session('status'))
          <div class="alert alert-success" role="alert">
            {{ session('status') }}
          </div>
        @endif
        <form method="POST" action="{{ route('password.email') }}">
          @csrf
          @include('partials.email',
            ['label' => __('E-Mail Address'), 'old'=>''])
          @include('partials.submit',
            ['label' => __('Send Password Reset Link') ])
        </form>
      </div>
    </div>
  </div>
</div>
</div>
@endsection

<!-- \resources\views\auth\register.blade.php -->
@extends('layouts.app')
@section('content')
<div class="container">
  <div class="row justify-content-center">
    <div class="col-md-8">
      <div class="card">
        <div class="card-header text-center"><b>{{ __('Register') }}</b></div>
        <div class="card-body">
          <form method="POST" action="{{ route('register') }}">
            @csrf
            @include('partials.string',
              ['label' => __('Name'), 'value' => 'name', 'old' => ''])
            @include('partials.email',
              ['label' => __('E-Mail Address'), 'old'=>''])
            @include('partials.pwd')
            @include('partials.pwdconf')
            @include('partials.submit',
              ['label' => __('Register') ])
          </form>
        </div>
      </div>
    </div>
  </div>
</div>
@endsection

<!-- \resources\views\auth\verify.blade.php -->
@extends('layouts.app')
@section('content')
<div class="container">
  <div class="row justify-content-center">
    <div class="col-md-8">
      <div class="card">
        <div class="card-header text-center">
          <b>{{ __('Verify Your Email Address') }}</b>
        </div>
        <div class="card-body">
          @if (session('resent'))
            <div class="alert alert-success" role="alert">
              {{
                __('A fresh verification link has been sent to your email address.')
              }}
            </div>
          @endif
          {{
            __('Before proceeding, please check your email for a verification link.')
          }}
          {{ __('If you did not receive the email') }},
          <a href="{{ route('verification.resend') }}">
            {{ __('click here to request another') }}
          </a>.
        </div>
      </div>
    </div>
  </div>
</div>

```

```

    </div>
</div>
@endsection

<!-- \resources\views\layouts\app.blade.php -->
<html lang="ge">
  <head> @include('layouts.head') </head>
  <body>
    <div class="container">
      @include('layouts.nav')
      <div align='center'> <br> @yield('title') </div>
      <div> @yield('content')</div>
      <div class="row">
        <div class="col-md-9"> @yield('left') </div>
        <div class="col-sm-3"> @yield('side') </div>
      </div>
    </div>
    @include('layouts.foot')
  </body>
</html>

<!-- \resources\views\layouts\foot.blade.php -->
<div class="container">
  <br>
  F. J. Karli &copy; 2019 <br>Zögern Sie nicht, das Kontaktformular
  <a href="{{ route('about.create') }}"> <span class="fas fa-envelope"></span></a>
  zu verwenden!
</div>

<!-- \resources\views\layouts\head.blade.php -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- CSRF Token -->
<meta name="csrf-token" content="{{ csrf_token() }}">
<title>{{ config('app.name', 'FJKarli') }}</title>
<!-- Scripts -->
<script src="{{ asset('js/app.js') }}" defer></script>
<script src="{{ asset('js/all.js') }}" defer></script>
<!-- Styles -->
<link href="{{ asset('css/app.css') }}" rel="stylesheet">
<link href="{{ asset('css/all.css') }}" rel="stylesheet">
<style>
  note10 { font-size: 10px; }
  verdana { face:Verdana, Arial, Helvetica, sans-serif; }
  .is-completed{ text-decoration: line-through; }
</style>

<!-- \resources\views\layouts\greeting.blade.php -->
<?php
date_default_timezone_set('Europe/Zurich');
$var = date("H");
if ($var <= 11) {
  echo "Guten Morgen ";
} elseif (($var > 11) and ( $var < 19)) {
  echo "Guten Tag ";
} else {
  echo "Guten Abend ";
};
?>

<!-- \resources\views\layouts\nav.blade.php -->
<nav class="navbar navbar-expand-md navbar-light bg-white shadow-sm">
  <div class="container">
    <a class="navbar-brand" href="{{ url('/') }}">{{ __('MyWeb') }}</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse"
      data-target="#navbarSupportedContent"
      aria-controls="navbarSupportedContent" aria-expanded="false"
      aria-label="{{ __('Toggle navigation') }}">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <!-- Left Side Of Navbar -->
      <ul class="navbar-nav mr-auto">
        <li>
          <a class="nav-link" href="{{ route('about.index') }}">Über MyWeb</a>
        </li>
        <li>
          <a class="nav-link" href="{{ route('blog.index') }}">Blog</a>
        </li>
      </ul>
    </div>
  </div>
</nav>

```

```

</ul>
<!-- Right Side Of Navbar -->
<ul class="navbar-nav ml-auto">
  @guest
    <!-- \resources\views\layouts\navGuest.blade.php -->
    <li class="nav-item">
      <a class="nav-link" href="{{ route('login') }}">{{ __('Login') }}</a>
    </li>
    @if (Route::has('register'))
    <li class="nav-item">
      <a class="nav-link" href="{{ route('register') }}">{{ __('Register') }}</a>
    </li>
    @endif
  @else
  <!-- Authentication Links -->
  <li class="nav-item dropdown">
    <a id="navbarDropdown" class="nav-link dropdown-toggle" href="#"
      role="button" data-toggle="dropdown" aria-haspopup="true"
      aria-expanded="false" v-pre>
      {{ Auth::user()->name }} <span class="caret"></span>
    </a>
    <ul class="dropdown-menu">
      <li>
        <a class="dropdown-item" href="{{ route('logout') }}"
          onclick="event.preventDefault();
            document.getElementById('logout-form').submit();">
          {{ __('Logout') }}
        </a>
        <form id="logout-form" action="{{ route('logout') }}"
          method="POST" style="display: none;">
          @csrf
        </form>
      </li>
    </ul>
  </li>
  @endguest
</ul>
</div>
</nav>

<!-- \resources\views\layouts\session_message.blade.php -->
@if(session('message'))
  <div class="alert alert-info">
    {{ Session::get('message') }}
  </div>
@elseif(session('flash_message'))
  <div class="alert alert-success">
    {{ Session::get('flash_message') }}
  </div>
@elseif (session('status'))
  <div class="alert alert-success" role="alert">
    {{ session('status') }}
  </div>
@elseif ($errors->any())
  <ul>
    @foreach($errors->all() as $error)
    <li>{{ $error }}</li>
    @endforeach
  </ul>
@endif

```